




HIDRÁULICA PVC CEMENTAR



Cédula 40




ASTM D1785

NMX-E-224

CÓDIGO	DIÁMETRO NOMINAL		DIÁMETRO EXTERIOR	ESPESOR DE PARED	PRESIÓN MÁXIMA DE TRABAJO	LONGITUD	PESO/ TRAMO
	pulgadas	mm	mm	mm	(kgf/cm ²)	m	m
05-40-005	1/2"	13	21.30	2.8	41	6.0	3.08
05-40-007	3/4"	19	26.70	2.9	33	6.0	4.11
05-40-010	1"	25	33.40	3.4	31	6.0	6.07
05-40-012	1 1/4"	32	42.20	3.6	26	6.0	8.27
05-40-015	1 1/2"	38	48.40	3.7	23	6.0	9.82
05-40-020	2"	50	60.30	3.9	19	6.0	13.10
05-40-025	2 1/2"	60	73.00	5.2	21	6.0	20.99
05-40-030	3"	75	88.90	5.5	18	6.0	27.31
05-40-040	4"	100	114.30	6.0	15	6.0	38.69
05-40-060	6"	150	160.30	7.1	12	6.0	68.14
05-40-080	8"	200	219.10	8.2	11	6.0	104.68
05-40-100	10"	250	273.10	9.3	10	6.1	148.50
05-40-120	12"	300	323.90	10.3	9	6.1	195.52
05-40-140	14"	355	355.00	355.6	9	6.1	231.47
05-40-160	16"	400	400.00	406.4	9	6.1	302.65

Cédula 80




ASTM D 1785

NMX-E-224

CÓIGO	DIÁMETRO NOMINAL		DIÁMETRO EXTERIOR	ESPESOR DE PARED	PRESIÓN MÁXIMA DE TRABAJO	LONGITUD
	pulgadas	mm	mm	mm	(kgf/cm ²)	m
07-80-005	1/2"	13	21.30	3.70	59	6.0
07-80-007	3/4"	19	26.70	3.90	48	6.0
07-80-010	1"	25	33.40	4.60	43	6.0
07-80-012	1 1/4"	32	42.20	4.90	36	6.0
07-80-015	1 1/2"	38	48.40	5.10	32	6.0
07-80-020	2"	50	60.30	5.50	28	6.0
07-80-025	2 1/2"	60	73.00	7.00	29	6.0
07-80-030	3"	75	88.90	7.60	26	6.0
07-80-040	4"	100	114.30	8.60	22	6.0
07-80-060	6"	150	160.30	11.00	19	6.0
07-80-080	8"	200	219.10	12.70	17	6.1
07-80-100	10"	250	273.10	15.10	16	6.1
07-80-120	12"	300	323.90	17.50	16	6.1
07-80-140	14"	355	355.6	19.1	15	6.1
07-80-160	16"	400	406.4	21.4	15	6.1

Rd ´S Serie Inglesa



ASTM D 2241

NMX-E-224

CÓDIGO	RD ´s	DIÁMETRO NOMINAL		DIÁMETRO EXTERIOR	ESPESOR DE PARED	PRESIÓN MÁXIMA DE TRABAJO	LONGITUD
		pulgadas	mm	mm	mm	(kgf/cm ²)	m
06-315-05	13.5	1/2"	13	21.3	1.60	21.2	6.0
06-200-07	21	3/4"	19	26.7	1.60	17.5	6.0
06-200-10	21	1"	25	33.4	1.60	17.5	6.0
61-125-10	26	1"	25	33.4	1.50	11.0	6.0
61-160-15	26	1 1/2"	38	48.3	1.90	11.0	6.0
61-160-20	26	2"	50	60.3	2.30	11.0	6.0
61-160-25	26	2 1/2"	60	73.0	2.80	11.0	6.0
61-160-30	26	3"	75	88.9	3.40	11.0	6.0
61-160.40	26	4"	100	114.3	4.40	11.0	6.0
61-160-60	26	6"	150	168.3	6.50	11.0	6.0
61-125-15	32.5	1 1/2"	38	48.3	1.50	8.6	6.0
61-125-20	32.5	2"	50	60.3	1.80	8.6	6.0
61-100-20	41	2"	50	60.3	1.50	6.9	6.0
61-100-25	41	2 1/2"	60	73.0	1.80	6.9	6.0
61-100-30	41	3"	75	88.9	2.20	6.9	6.0
61-100-40	41	4"	100	114.3	2.80	6.9	6.0
61-100-60	41	6"	150	168.3	4.10	6.9	6.0
61-100-80	41	8"	200	219.1	5.30	6.9	6.0
61-100-100	41	10"	250	273.1	6.70	6.9	6.1
61-100-120	41	12"	300	323.9	7.90	6.9	6.1
61-80-20	51	2"	50	60.3	1.1	5.6	6.0
61-80-30	51	3"	75	88.9	1.7	5.6	6.0
61-80-40	51	4"	100	114.3	2.2	5.6	6.0
61-80-60	51	6"	150	160.3	3.1	5.6	6.0